

Doctor \_\_\_\_\_ @ \_\_\_\_\_  
if multiple practices or locations

Patient \_\_\_\_\_ Due Date \_\_\_\_\_

1 2 3 4 5 6 7 8 + 9 10 11 12 13 14 15 16  
 32 31 30 29 28 27 26 25 + 24 23 22 21 20 19 18 17

please circle single units individually and connect splinted units and bridges

**ALL CERAMIC**

- ADT Full Zirconia
- Ultra Translucent Full Zirconia
- Layered Zirconia (PFZ)
- Monolithic Lithium Disilicate
- Layered Lithium Disilicate


**IF INADEQUATE OCCLUSAL SPACE**

- Call Doctor
- Adjust Opposing & Mark
- Reduction Coping
- Metal Occusal/Metal Strike

**CROWN & BRIDGE**

Porcelain Fused to Metal

- Non-Precious
- Semi-Precious (60% PD)
- White High Noble\* (40% AU)
- Yellow High Noble (84% AU)



- Butt Margin
- High Interproximal Struts
- Nubs

Full Gold

- 20%  50%\*  60%

**OTHER**

- Diagnostic Wax-Up
- PMMA (Acrylic) Provisional
- Composite Provisional
- Post & Core

**IMPLANTS**

System & Size \_\_\_\_\_

Abutments

- Atlantis Titanium Abutment\*
- Atlantis Zirconia Abutment
- Company-Specific Titanium
- Company-Specific Zirconia
- In-House Zirconia Abutment
- Cast Gold Abutment
- Order Stock Abutment
- Use Enclosed Abutment
- Gold-Anodize
- Screw-Access Hole on Crown


Screw-Retained Restorations

- Screw-Retained PFM
- Screw-Retained FZ
- Screw-Retained PFZ  
(layered facial cutback)

\*default option will apply if no selection is made

**SPECIAL INSTRUCTIONS**

- Finish\*
- Bisque Bake
- Frame Try-In



Shade \_\_\_\_\_  
 Stumpf \_\_\_\_\_

- See Emailed Photos
- Custom Shade Appt.

Occlusion

- In Contact\*
- Out \_\_\_\_\_mm
- High
- Light

**NOTES**



Dr. Signature \_\_\_\_\_ License# \_\_\_\_\_

**FOR LAB USE ONLY**

IMP. U \_\_\_\_\_ L \_\_\_\_\_ TT \_\_\_\_\_ MODELS U \_\_\_\_\_ L \_\_\_\_\_ BITES \_\_\_\_\_ DIES \_\_\_\_\_  
 FRAMEWORK \_\_\_\_\_ PORC. UNITS \_\_\_\_\_  
 IMP. COPING \_\_\_\_\_ SCREW \_\_\_\_\_ CLAs \_\_\_\_\_ ANALOG \_\_\_\_\_

OTHER: \_\_\_\_\_